

British Columbia Ministry of Transportation

Daily Volume from 10/28/2003 through 10/31/2003

Site Names: 16-1520

County:

Funct.

Location: Ramp From Route 99 Nb To Route 99a In Surrev

Seasonal Factor Type: Consistent

Daily Factor Type: Consistent

Axle Factor Type:

Growth Factor Type: Consistent

	10/26/2003			10/27/2003			10/28/2003			10/29/2003			10/30/2003			10/31/2003			11/01/2003		
	Road	Neg	Pos	Road	Neg	Pos	Road	Neg	Pos	Road	Neg	Pos	Road	Neg	Pos	Road	Neg	Pos	Road	Neg	Pos
00:00										16		16	19		19	23		23			
01:00										13		13	14		14	11		11			
02:00										4		4	8		8	5		5			
03:00										6		6	3		3	9		9			
04:00										12		12	7		7	7		7			
05:00										25		25	34		34	26		26			
06:00										102		102	101		101	102		102			
07:00										251		251	314		314	282		282			
08:00										287		287	303		303	269		269			
09:00							179		179	186		186	220		220						
10:00							153		153	171		171	197		197						
11:00							190		190	179		179	243		243						
12:00							175		175	171		171	183		183						
13:00							144		144	186		186	185		185						
14:00							212		212	196		196	312		312						
15:00							242		242	238		238	282		282						
16:00							265		265	259		259	281		281						
17:00							224		224	209		209	254		254						
18:00							159		159	170		170	176		176						
19:00							103		103	87		87	108		108						
20:00							73		73	78		78	77		77						
21:00							61		61	70		70	81		81						
22:00							34		34	49		49	54		54						
23:00							36		36	35		35	27		27						
Volume							2,250		2,250	3,000		3,000	3,483		3,483	734		734			
AM Peak Vol										311		311	384		384						
AM Peak Fct										0.92		0.92	0.84		0.84						
AM Peak Hr										7:30		7:30	7:30		7:30						
PM Peak Vol							265		265	259		259	312		312						
PM Peak Fct							0.90		0.90	0.80		0.80	0.90		0.90						
PM Peak Hr							16:00		16:00	16:00		16:00	14:00		14:00						
Seasonal Fct							1.005		1.005	1.005		1.005	1.005		1.005	1.005		1.005			
Daily Fct							0.983		0.983	0.963		0.963	0.940		0.940	0.879		0.879			
Axle Fct							0.500		0.500	0.500		0.500	0.500		0.500	0.500		0.500			
Pulse Fct							2.000		2.000	2.000		2.000	2.000		2.000	2.000		2.000			